jpt
Journal of Paint Technology

Annual Index

Volume 43
Numbers 552-563

January thru December, 1971

XUM

Journal of Paint Technology
1971 Annual Index

Key Word Index

A

Accelerated weathering .... 74—Jan., 82—Feb., 43—Apr., 97—Dec.
Accelerated weathering (data analysis) ..... 107—Dec.
Acetate content of coatings polymers ..... 60—July
Acrylic latex paint, mildew growth ..... 76—Mar.
Acrylic resin (s) ..... 54—May, 44—June
Acrylic resin, durability of ..... 74—Jan.
Acrylic resin (hydroxylated), urethane cured ..... 68—Nov.
Acrylic—urethane coatings, two-compartment ..... 68—Nov.
Additive selection ..... 92—May
Additives *vs* paint properties ..... 65—Aug.
Adhesion failure (mechanism) ..... 98—Sept.
Adhesion, measuring of ..... 84—May
Adhesive energy ..... 98—Sept.
Air pollution control ..... 64—Mar., 78—Aug.
Alkyd finishes, drying time ..... 73—May
Alkyd melamine baking enamel gloss ..... 73—Sept.
Alkyd resin ..... 69—Feb., 41, 63—May
Alkyd resin, durability of .... 74—Jan.
Alkyd resin (oil-free) ..... 54—Aug.
Amalgam (Hg-Cu) in trace mercury determination ..... 67—Dec.
Amino resins (nonvolatile content) ..... 81—Nov.
Aqueous solutions ..... 69—July
Atomic absorption spectrophotometer in trace Hg determination ..... 67—Dec.
Automotive finish ..... 51—Jan.
Automotive finishing (electrocoating) ..... 89—Nov.
Automotive finishes, testing of ..... 43—Apr.

B

Baking finish ..... 54—May
Baking finishes, gloss of ..... 65—Jan.
Brittleness, effect of weathering on ..... 39—Mar.
Brookfield viscometer ..... 35—June
Brushing characteristics *vs* rheological properties ..... 60—Oct.

C

Calcium carbonate ..... 109—Jan.
Capacitance, test method ..... 47— Mar.
Cassson equation ..... 35 June
Cellulose acetate butyrate ..... 83—Jan.
Chain scission ..... 63—July
Chalking ..... 99—Apr., 82—Feb., 43—Apr.
Chalking of latex house paint (TiO_2) *vs* zinc oxide ..... 54—Oct.
Chip resistance, automotive finish ..... 51—Jan.
Chromatography, gas-liquid ..... 60—July
CIE System tristimulus values ..... 42—Feb.
Clear coatings ..... 42—Feb.
Cobalt 2-ethylhexanoate ..... 59—June
Coil coating (s) ..... 43—Apr.
Color difference ..... 81—Mar.
Color difference acceptability ..... 81 Mar.
Colorimetric control ..... 89—Jan.
Colorimetry ..... 42—Feb.
Color matching ..... 58—Jan., 81—Mar.
Color stability ..... 53—Mar.
Color standards ..... 89—Jan., 42—Feb.
Color strength evaluations ..... 107—Apr.
Computer program for design and formulation of polyester resin ..... 41—May
Computer use in coating formulation ..... 83—Mar.
Computer use in coating manufacture ..... 83—Mar.
Containers, metrication (United Kingdom) ..... 115—Dec.
Corrosion resistance ..... 43—Jan., 71—Mar., 63—May
Cratering ..... 58—Nov.
Curing ..... 51—Feb.
Curing, room temperature ..... 44—June

D

Dip coating (variations in film thickness) ..... 50—Oct.
Dispersion forces ..... 35—Apr.
Dispersion method *vs* gloss, leveling of latex enamels ..... 92—Dec.
Drier efficiency ..... 62—Feb.
Drying rate ..... 83—Jan.
Drying time, measured ..... 62—Feb.
Drying time recorder ..... 73—May
Dry paint films, testing of ..... 65—Apr.
Durability, exterior ..... 43—Apr.

E

Electrocoating ..... 43, 65—Jan., 71—Mar., 89—Nov.
Electrodeposition ..... 79—May
Electroyltic dissolution ..... 43—Jan.
Electron beam curing of epoxy adducts ..... 77—Sept.
Electron microscopy in coalesced latex film study ..... 68—Oct.
Electron microscope studies, dry paint films ..... 65—Apr.
Electrophoretic mobility ..... 65—Jan.
Emulsion resin (s) ..... 49—July
Epoxy adducts for electron beam curing ..... 77—Sept.
Epoxy paint films ..... 39—Mar.
Epoxy resin, electrodeposition of ..... 79—May
Erosion ..... 82—Feb.
Erosion rate studies ..... 74—Jan.
Evaporation rate of solvents ..... 64—Mar., 93—Nov.
Evaporative rate analysis ..... 51—Feb.
Evaporative rate analysis testing ..... 55—Feb.
Exposure testing ..... 74—Jan., 82—Feb., 54—July
Exposure testing, chalking ..... 99—Apr.
Extender pigments ..... 51—June

F

Fabric coating ..... 92—Apr.
Film defects *vs* liquid-liquid spreading ..... 58—Nov.
Film thickness measurement ..... 31—Feb.
Film thickness variation in dip coating ..... 50—Oct.
Finishing problems, industrial ..... 54—May
Fire retardant coating ..... 92—Apr.
Florida pollution control legislation ..... 78—Aug.
Fluorocarbon epoxide ..... 120—Jan.
Fourier transformation (computer for infrared spectra) ..... 49—Nov.
Fourier transform spectroscopy ..... 31—Feb.
Free radical polymerization, vinyl monomers ..... 45—Dec.
Fungicides, zinc oxide, barium metaborate ..... 76—Mar.
Fungistat (lab evaluation) ..... 76—Nov.
Fungus resistance of latex house paints *vs* moisture ..... 81—Sept.
Fungus resistant coatings ..... 54—July

G

Gel time stability ..... 59—June
Glass transition point (GTP) ..... 51—Jan.
Glass transition temperature ..... 44—Oct.
Gloss, measured ..... 62—Feb.
Gloss of baking finishes ..... 65—Jan.
Gloss retention ..... 74—Jan., 43—Apr.
Gloss of latex enamel *vs* dispersion methods ..... 92—Dec.
Gloss *vs* titanium dioxide grade ..... 73—Sept.
Glycidal ethers ..... 120—Jan.
Glycol ester (new) monomer ..... 54—Aug.

H

Hardness, measured ... 62—Feb.
Hiding power ... 58—Jan.
Hiding power of pigment-free films ... 48—Aug.
Hiding power, synthetic silicas ... 51—June
Hiding power, theoretical (air bubbles *vs* TiO_2) ... 49—Dec.
Hydrogen bonding ... 64—Mar.
Hydrogen bonding solvents ... 35—Apr.
Hydroxyl compounds in vinyl polymerization ... 45—Dec.
Hydroxyl number ... 69—Feb.

I

Impact resistance ... 39—Mar.
Impact testing ... 51—Jan.
Infrared radiation ... 75—Apr.
Infrared spectroscopy (computerized, Fourier) ... 49—Nov.
Insertion reaction for polymer preparation ... 67—Sept.
Intercoat adhesion ... 54—May
Isocyanate block polymers, unblocking of ... 55—Feb.

K

Kubelka-Munk scattering coefficients ... 58—Jan.

L

Latex enamel (gloss, leveling *vs* dispersion method) ... 92-Dec.
Latex film coalescence *vs* optical properties ... 68—Oct.
Latex house paints (moisture *vs* fungus resistance) ... 81—Sept.
Latex house paint (TiO_2)—Zinc oxide *vs* chalking ... 54—Oct.
Latex house paints (fungistat evaluation) ... 76—Nov.
Latex paints, evaluating leveling ... 72—Feb.
Latex paints, preservatives (Hg-free) ... 80—Dec.
Leather finish ... 92—Apr.
Leveling ... 72—Feb., 59—Mar.
Leveling of latex enamels *vs* dispersion methods ... 92—Dec.
Licanic acid derivatives ... 89—Sept.
Light scattering, theoretical (air bubbles *vs* TiO_2) ... 49—Dec.
Linseed oil emulsion paints ... 53—Mar.
Liquid-liquid spreading *vs* film defects ... 58—Nov.

M

Mercury-free preservatives for latex paints ... 80—Dec.
Mercury, trace determination in aqueous solution ... 67—Dec.
Metal finish ... 63—May
Metal soap (s) ... 59—June
Methylcellulose ... 69—July
Methyl methacrylate, polymerization (OH compounds) ... 45—Dec.
Metrication of paint containers (United Kingdom) ... 115—Dec.
Mildew resistance ... 76—Mar., 63—May
Moisture diffusion ... 63—May
Mold growth, inhibition of ... 54—July

N

Nonvolatile content of amino resins ... 81—Nov.

O

Oiticica oil—acrylic copolymers ... 89—Sept.
Oiticica oil fatty acids ... 89—Sept.
Optical properties *vs* latex film coalescence ... 68—Oct.
Organometallic monomers (preparation) ... 29—Oct.
Organometallic polymers (preparation, uses) ... 29—Oct.

P

Paint properties *vs* additives ... 65—Aug.
Physically drying coating systems ... 83—Jan.
Pigment behavior ... 65—Jan.
Pigment dispersibility ... 107—Apr.
Pigment-free films with hiding ... 48—Aug.
Pigments (surfactant demand, oil absorption) ... 73—Dec.
Pigments, synthetic silicas ... 51—June
Pigment volume concentration ... 109—Jan.
Plasticizer retention by radiotracers ... 61—Aug.
Polarity ... 64—Mar.
Pollution control ... 75—July
Polyester resin ... 59—June, 49—July, 54—Aug.
Polyisocyanates ... 83—Jan.
Polymer solutions ... 64—June, 63—July
Polymerization, graft ... 49—June
Polymer preparation by insertion at Si-C bond ... 67—Sept.
Polymer solution viscosity (Newtonian) ... 39—Aug.
Preservatives for latex paint (Hg-free) ... 80—Dec.

Q

Quality control testing ... 51—Feb.

R

Radiotracers for solvent/plasticizer retention ... 61—Aug.
Refractive index, theoretical (air bubbles *vs* TiO_2) ... 49—Dec.
Rheological properties ... 35—June
Rheological properties of vinyl resin ... 92—May
Rheological properties *vs* brushing characteristics ... 60—Oct.
Rheology ... 59—Mar., 64—June

S

Sagging ... 59—Mar.
Seamless Flooring ... 92—Apr.
Settling ... 59—Mar.
Shear degradation studies ... 63—July
Shear plate and cone viscosimeter ... 59—Mar.
Silane ... 49—July
Silicic acid pigments ... 51—June
Silicon-carbon bond cleavage in polymer preparation ... 67—Sept.
Solar radiation ... 75—Apr.
Solubility parameter ... 35—Apr., 64—Mar.
Solvent etching ... 65—Apr.
Solvent evaporation rate ... 93—Nov.
Solvent retention by radiotracers ... 61—Aug.
Solvents, disposal of waste ... 75—July
Statistical design ... 54—May
Steel substrate ... 43—Jan.
Storage, low temperature ... 89—Jan.
Storage temperature, paint ... 62—Feb.
Styrene, polymerization (effect of OH compounds) ... 45—Dec.
Surfactant demand of pigments ... 73—Dec.

T

Testing, dust free time ... 73—May
Testing of fungicide (s) ... 54—July
Testing, tack free ... 73—May
Testing, thixotropic coatings ... 59—Mar.
Testing, through dry ... 73—May
Test method, corrosion ... 47—Mar.
Test method, pigment dispersion ... 107—Apr.
Test methods, adhesion ... 84—May
Thermochemical analysis ... 51—Feb.
Thixotropy ... 35—June
Throwing power ... 65—Jan., 71—Mar.
Tinted paint, undertone color of ... 84—Apr.
Titanium dioxide ... 58, 65—Jan.
Titanium dioxide (accelerated testing) ... 107—Dec.
Titanium dioxide (light scattering, theoretical) ... 49—Dec
Titanium dioxide grade *vs* gloss ... 73—Sept.
Titanium dioxide pigments ... 82—Feb., 99—Apr.
Titanium dioxide (surface properties *vs* grade) ... 36—Oct.

XUM

U

Ultraviolet light ..... 75—Apr.
Undertone color ..... 84—Apr.
Urethane resin baking finishes ..... 55—Feb.
Urethane resin curing agent for acrylics ..... 68—Nov.
Urethane resins ..... 92—Apr.

V

Vinyl plastic films, color matching of ..... 58—Jan.
Vinyl resin latex coatings ..... 74—Jan.
Vinyl resin plastisols ..... 92—May
Viscosity ..... 64—June, 63—July
Viscosity (Newtonian) of polymer solutions ..... 39—Aug.
Viscosity, reduction of ..... 69—July
Voltage, rupture ..... 71—Mar.

W

Wall paints, flat ..... 109—Jan.
Water absorption *vs* fungus resistance (latex paint) ..... 81—Sept.
Water permeability ..... 47—Mar.
Water pollution control ..... 78—Aug.
Weathering ..... 97—Dec.
Weather-Ometer ..... 97—Dec.

Y

Yellowing ..... 54—May
Yellowing, linseed oil modified latex paints ..... 53—Mar.

Z

Zinc oxide *vs* chalking of latex house paint (TiO_2) ..... 54—Oct.

Alphabetical Listing of Papers

A

Acetate Content of Coating Polymers by Gas-Liquid Chromatography—G. G. Esposito and M. H. Swann, July, p. 60.
Air Pollution: Now is the Time for Action by the Coatings Industry—Paint Research Institute, Aug., p. 97.
Another Look at Oiticica Oil—A. E. Rheineck and P. R. Sampath, Sept., p. 89.
Application of Statistical Designs for the Solution of Industrial Finishing Problems—F. X. Mueller and D. M. Olsson, May, p. 54.
Assessment of Application Properties of Brushing Paints—P. H. Fink-Jensen and H. K. Raaschou Nielsen, Oct., p. 60.

C

Calcium Carbonate in Flat Wall Paints—Detroit Society for Paint Technology, Jan., p. 109.
Calculating Color in Vinyls From Scattering and Absorption Coefficients—P. B. Mitton and L. C. Komar, Jan., p. 58.
Coatings Technology at the San Jose Regional Vocational Center—K. Probst and E. C. Larson, Jan., p. 141.
Cold Storage of Panels Plus Colorimetric Control: an Approach to Stable Color Standards—Southern Society for Paint Technology, Jan., p. 89.
Color Difference Acceptability—Pastels vs. Deeptones—Philadelphia Society for Paint Technology, Mar., p. 81.
Color Dispersion Determined by Measured Energy Input—New York Society for Paint Technology, Apr., p. 107.
Colorimetry of Transparent Materials—R. M. Johnston, Feb., p. 42.
Color Stability of Films from Conventional and Emulsion Paints Containing Linseed Oil: Effects of Methyl Azelaaldehydate—G. E. McManis, E. W. Swain, L. E. Gast, and J. C. Cowan, Mar., p. 53.
Comments on the Degradation of Aqueous Solutions of Methylcellulose—N. Sarkar and G. D. Rose, July, p. 69.
Comparison of Evaporative Rate Analysis with Thermomechanical Analysis for Thermosetting Acrylic Coatings—T. J. Miranda, Feb., p. 51.
Computer Program for the Design and Formulation of Reactive Polyester Resins—D. C. Finney, May, p. 41.
Corrosion and the Electrodeposition Process—C. A. May, Jan., p. 43. LLL
Cratering and Related Phenomena—F. J. Hahn, Nov., p. 58.

D

Determination of Mercury at the Parts-Per-Billion Level—J. K. Duffer, Dec., p. 67.
Determination of Nonvolatile Contents of Amino Polymers—P. J. Secrest and S. E. Heckman, Nov., p. 81.
Determination of Solvent and/or Plasticizer Retention in Coating Systems (Radiotracer Method)—W. Z. Borer, R. L. Bartosiewicz, and P. J. Secrest, Aug., p. 61.
Disposal of Waste Solvents—Houston Society for Paint Technology, July, p. 75.
Drying Studies of Pigmented Alkyd Finishes Using a New Integral Drying Time Recorder—M. Ternbah and H. P. Schrieber, May, p. 73.
Durability of Paint Films From Erosion Rate Studies—H. S. Ritter, Jan., p. 74.

E

Ecology of Ideas—E. Barry, Nov., p. 115.
Effect of Polyisocyanates on Physically Drying Coating Systems—G. Mennicken, Jan., p. 83.
Effect of Various Grades of Titanium Dioxide on the Glosss of a Baking Alkyd-Melamine Enamel—H. J. Golden, Sept., p. 73.
Effects of Dispersion Methods on the Properties of Latex Enamels—New York Society, Dec., p. 92.
Efficacy of Non-Mercurial Preservatives in Aqueous Coatings—Chicago Society, Dec., p. 80.
Electrodeposition of an Epoxy Resin—J. P. Giboz and J. Lahaye, May, p. 79.
Electrodeposition of Paint Independent of Tank Size—G. E. F. Brewer and W. A. Goodbar, Nov., p. 89.
Epoxy Adducts for Radiation-Curable Coatings—S. S. Labana and E. J. Aronoff, Sept., p. 77.
Evaluation of Unblocking of Urethane Coatings by Evaporative Rate Analysis—H. E. Hill, C. S. Pietras, and D. J. Damico, Feb., p. 55.

F

Factors Affecting the Pigment Behavior of Titanium Dioxide in a Typical Electrocoating System—L. L. Seivard and W. W. Downey, Jan., p. 65.
Florida Air and Water Pollution Control Act—Southern Society for Paint Technology, Aug., p. 78.
Free Radical Chain Polymerization—R. B. Seymour, J. M. Sosa, and V. J. Patel, Dec., p. 45.
Fungistats for Paint Films: Laboratory Evaluation Procedures—E. D. Aman, P. A. Wolf, and F. J. Bobalek, Nov., p. 76.

G

Glass Transition Temperature: What Does it Measure? What Does it Mean?—J. P. Mercier and J. J. Aklonis, Oct., p. 44.

H

Hiding Without Pigments—H. Burrell, Aug., p. 48.

High-Performance, Esterdiol-Based, Branched Oligomers for Coatings—D. M. Berger and J. Wynstra, Aug., p. 54.

How Can Computers Help the Paint Industry?—Northwestern Society for Paint Technology, Mar., p. 88.

I

Increased Throwing Power Through Application of Electrodeposition Voltages Higher Than Original Rupture Voltage—G. E. F. Brewer and R. F. Hines, Mar., p. 71.

Influence of Cobalt 2-Ethylhexanoate Systems on the Gel Time Stability of Polyester Resins—R. J. Goodman and A. J. Douek, June, p. 59.

Influence of Moisture Transport on Fungal Growth—D. O. Hill and G. C. April, Sept., p. 81.

Influence of Paint Storage Temperature on Drying Characteristics—Philadelphia Society for Paint Technology, Feb., p. 62.

Influence of Selected Additives on Rheological Behavior of Vinyl Resin Plastisols—J. J. Brezinski, May, p. 92.

Infrared Fourier Transform Spectroscopy in the Coatings Industry: II. Optical Subtraction—M. J. D. Low and H. Mark, Feb., p. 31.

Infrared Fourier Transform Spectroscopy in the Coatings Industry: III. Transmission/Absorption Spectra—M. J. D. Low, H. Mark, and A. J. Goodsel, Nov. p. 49.

Inhibition of Mold Growth by Fungus Resistant Coatings Under Different Environmental Conditions—E. Hoffmann, July, p. 54.

Intensity Variations of Ultraviolet, Visible, and Near Infrared Bands of Terrestrial Solar Radiation—S. Yamasaki, Apr., p. 75.

M

Measuring the Adhesion of Coatings Systems—W. K. Asbeck, May, p. 84.

Measurement of Rheology of Thixotropic Organic Coatings and Resins with the Brookfield Viscometer—P. E. Pierce, June, p. 35.

Mechanism of Paint Chipping—H. S. Bender, Jan., p. 51.

Mildew Defacement of Organic Coatings—R. R. Myers, June, p. 47.

Model for Objective Development of Accelerated Weathering Tests—P. B. Mitton and D. P. Richards, Dec., p. 107.

Model of Evaporation from Solvent Blends—J. G. Walsham and G. D. Edwards, Mar., p. 64.

Moisture Diffusion Phenomena in Practical Paint Systems—T. K. Hay and G. G. Schurr, May, p. 63.

Molecular Basis for Impact Resistance of Epoxy Paint Films—R. J. Moore, Mar., p. 39.

Motivation: Commitment Through Involvement—R. A. Fabino, Oct., p. 86.

N

National Fire Protection Association Standard 35 on Manufacture of Organic Coatings—R. D. Freriks, Feb., p. 107.

Novel Polymer-Forming Insertion Reactions—F. H. Pinkerton and S. F. Thames, Sept., p. 67.

O

On Patton's Cone and Plate Stress Relaxation Technique (CPSRT)—N. D. Sylvester and W. A. Ludwico, Mar., p. 59.

Organometallic Polymer Field Builds up—Paint Research Institute, Feb., p. 35.

Organosilicon Grafted Polyesters as Stable Emulsions—S. F. Thames and J. M. Evans, July, p. 49.

P

Paint Research—Analyzing Data the Easy Way—H. Grinsfelder, May, p. 98.

Photochemistry of Titanium Dioxide Pigments and its Relationship to Chalking—R. L. Gerteis and A. C. Elm, Apr., p. 99.

Plant Security and Personal Liability—Southern Society for Paint Technology, July, p. 79.

Pollution Abatement Control—R. Kunin, June, p. 69.

Polyisocyanate-Cured, Hydroxylated Acrylic Resins—D. H. Klein, and W. J. Elms, Nov., p. 68.

Practical Methods of Evaluating Leveling of Latex Paints—New York Society for Paint Technology, Feb., p. 72.

Prediction of Viscosities of Concentrated Polymer Solutions—A. Rudin and H. K. Johnston, Aug., p. 39.

Preparation of Organometallic Polymers of Transition Metals—Potential Application—C. U. Pittman, Jr., Oct., p. 29.

Properties of Pigmented Alkyds with Controlled Hydroxyl Number—Golden Gate Society for Paint Technology, Feb., p. 69.

R

Rate of Evaporation of Liquids into Air—T. E. Gilbert, Nov., p. 93.

Room Temperature Curing Acrylics—A. G. North, June, p. 44.

S

Secondary Effects of Paint Additives—R. R. Blakey, Aug., p. 65.

Shear Degradation Studies in Pseudoplastic Solutions Using Ultrasonic Energy—E. Aldinger and R. Mahalingam, July, p. 63.

Signals of Science: Prospect for New Functionality in Polymer Coatings—H. Gerhart, Aug., p. 74.

Solvent Etching: New Technique for Electron Microscope Studies of Dry Paint Films—S. Wilska, Apr., p. 65.

Some New Fluorinated Epoxies and Polymeric Derivatives—J. G. O'Rear, J. R. Griffith, and S. A. Reines, Jan., p. 113.

Studies of Aliphatic and Aromatic Urethane Coatings—R. A. Bieneman, Apr., p. 92.

Surfactant Demand—Philadelphia Society, Dec., p. 73.

Synthetic Silicas: Important Pigments to the Paint Industry—W. Georgov and A. A. Chasan, June, p. 51.

T

Test Methods for High-Durability Coatings—E. Oakley, Apr., p. 43.

Theoretical Computation of Light Scattering Power: Comparison Between TiO_2 and Air Bubbles—Dec., p. 49.

Thickness Distribution in Dip Coating—P. Groenveld, Oct., p. 50.

Three Dimensional Solubility Parameters and their Relationship to Internal Pressure Measurements in Polar and Hydrogen Bonding Solvents—E. B. Bagley, T. P. Nelson, and M. M. Scigliano, Apr., p. 35.

Three-Year Study of Mildew Growth on Coated Surfaces—C-D-I-C Society for Paint Technology, Mar., p. 76.

Titanium Dioxide—Or is it?—F. B. Stieg, Oct., p. 36.

Training: Its Role and Significance in Today's Marketplace—D. H. Gates. Oct., 83.

XUM

U

Undertone of Tinted Paint—D. P. Richards and G. W. Bovenizer, Apr., p. 84.
United Kingdom Paint Industry—Metrication of Package Sizes—K. S. Flory, Dec., p. 115.

V

Variables Governing the Flow of Polymer Solutions Related to Paint—R. S. Porter and J. Freling, June, p. 64.

W

Water Vapor Transport in Adherent Organic Coatings—K. A. Holtzman, Mar., p. 47.
Weatherability of Titanium Dioxide Pigments—F. B. Stieg, Feb., p. 82.
Weathering of Paint Films and the Development of Accelerated Tests—E. Hoffman, Dec., p. 97.
The Work of Breaking an Adhint—J. J. Bikerman, Sept., p. 98.

Z

Zinc Oxide and Rutile-Anatase Chalking Study in White Exterior, Latex House Paints—W. Madson, Oct., p. 54.

Author Index

A

Aklonis, J. J.—see Mercier, J. P.
Aldinger, E. and Mahalingam, R.—Shear Degradation Studies in Pseudoplastic Solutions Using Ultrasonic Energy, July, p. 63.
Aman, E. D., Wolf, P. A., and Bobalek, F. J.—Fungistats for Paint Films: Laboratory Evaluation Procedures, Nov., p. 76.
April, G. C.—see Hill, D. O.
Aronoff, E. J.—see Labana, S. S.
Asbeck, W. K.—Measuring the Adhesion of Coatings Systems, May, p. 84.

B

Bagley, E. B., Nelson, T. P., and Scigliano, M. M.—Three Dimensional Solubility Parameters and Their Relationship to Internal Pressure Measurements in Polar and Hydrogen Bonding Solvents, Apr., p. 35.
Barry, E.--Ecology of Ideas, Nov., p. 115.
Bartosiewicz, R. L.—see Borer, W. Z.
Bender, H. S.—Mechanism of Paint Chipping, Jan., p. 51.
Berger, D. M. and Wynstra, J.—High-Performance, Esterdiol-Based, Branched Oligomers for Coatings, Aug., p. 54.
Bieneman, R. A.—Studies of Aliphatic and Aromatic Urethane Coatings, Apr., p. 92.
Bikerman, J. J.—The Work of Breaking an Adhint, Sept., p. 98.
Blakey, R. R.—Secondary Effects of Paint Additives, Aug., p. 65.
Bobalek, F. J.—see Aman, E. D.
Borer, W. Z., Bartosiewicz, R. L., and Secrest, P. J.—Determination of Solvent and/or Plasticizer Retention in Coatings Systems (Radiotracer Method), Aug., p. 61.
Bovenizer, G. W.—see Richards, D. P.
Brewer, G. E. F. and Goodbar, W. A.—Electrodeposition of Paint Independent of Tank Size, Nov., p. 89.
Brewer, G. E. F. and Hines, R. F.—Increased Throwing Power Through Application of Electrodeposition Voltages Higher Than Original Rupture Voltage, Mar., p. 71.
Brezinski, J. J.—Influence of Selected Additives of Rheological Behavior of Vinyl Resin Plastisols, May, p. 92.
Burrell, H.—Hiding Without Pigments, Aug., p. 48.

C

Chasan, A. A.—see Georgov, W.
Cowan, J. C.—see McManis, G. E.

D

Damico, D. J.—see Hill, H. E.
Douek, A. J.—see Goodman, R. J.
Downey, W. W.—see Seivard, L. L.
Duffer, J. K.—Determination of Mercury at the Parts-Per-Billion Level, Dec., p. 67.

E

Edwards, G. D.—see Walsham, J. G.
Elm, A. C.—see Gerteis, R. L.
Elms, W. J.—see Klein, D. H.
Esposito, G. G. and Swann, M. H.—Acetate Content of Coating Polymers by Gas-Liquid Chromatography, July, p. 60.
Evans, J. M.—see Thames, S. F.

F

Fabino, R. A.—Motivation: Commitment Through Involvement, Oct., p. 86.
Fink-Jensen, P. H. and Nielsen, H. K. Raaschou—Assessment of Application Properties of Brushing Paints, Oct., p. 60.
Finney, D. C.—Computer Program for the Design and Formulation of Reactive Polyester Resins, May, p. 41.
Flory, K. S.—United Kingdom Paint Industry—Metrication of Package Sizes, Dec., p. 115.
Freling, J.—see Porter, R. S.
Freriks, R. D.—National Fire Protection Association Standard 35 on Manufacture of Organic Coatings, Feb., p. 107.

G

Gast, L. E.—see McManis, G. E.
Gates, D. H.—Training: Its Role and Significance in Today's Marketpalce, Oct., p. 83.
Gerhart, H.—Signals of Science: Prospect for New Functionality in Polymer Coatings, Aug., p. 74.
Georgov, W. and Chasan, A. A.—Synthetic Silicas: Important Pigments to the Paint Industry, June, p. 51.
Gerteis, R. L. and Elm, A. C.—Photochemistry of Titanium Dioxide Pigments and its Relationship to Chalking, Apr., p. 99.
Giboz, J. P. and Lahaye, J.—Electrodeposition of an Epoxy Resin, May, p. 79.
Gilbert, T. E.—Rate of Evaporation of Liquids into Air, Nov., p. 93.
Golden, H. J.—Effect of Various Grades of Titanium Dioxide on the Gloss of a Baking Alkyd-Melamine Enamel, Sept., p. 73.

GOODBAR, W. A.—see Brewer, G. E. F.
GOODMAN, R. J. and DOUEK, J. A.—Influence of Cobalt 2-Ethylhexanoate Systems on the Gel Time Stability of Polyester Resins, June, p. 59.
GOODSEL, A. J.—see Low, M. J. D.
GRIFFITH, J. R.—see O'Rear, J. G.
GRINSFELDER, H.—Paint Research—Analyzing Data the Easy Way, May, p. 98.
GROENVELD, P.—Thickness Distribution in Dip Coating, Oct., p. 50.

H

HAHN, F. J.—Cratering and Related Phenomena, Nov., p. 58.
HAY, T. K. and SCHURR, G. G.—Moisture Diffusion Phenomena in Practical Paint Systems, May, p. 63.
HECKMAN, S. E.—see Secrest, P. J.
HILL, D. O. and APRIL, G. C.—Influence of Moisture Transport on Fungal Growth, Sept., p. 81.
HILL, H. E., PIETRAS, C. S., and DAMICO, D. J.—Evaluation of Unblocking of Urethane Coatings by Evaporative Rate Analysis, Feb., p. 55.
HINES, R. F.—see Brewer, G. E. F.
HOFFMANN, E.—Inhibition of Mold Growth by Fungus Resistant Coatings Under Different Environmental Conditions, July, p. 54.
HOFFMANN, E.—Weathering of Paint Films and the Development of Accelerated Tests, Dec., p. 97.
HOLTZMAN, K. A.—Water Vapor Transport in Adherent Organic Coatings, Mar., p. 47.

J

JOHNSTON, H. K.—see Rudin, A.
JOHNSTON, R. M.—Colorimetry of Transparent Materials, Feb., p. 42.

K

KLEIN, D. H.—Polyisocyanate-Cured, Hydroxlated Acrylic Resins, Nov., p. 68.
KOMAR, L. C.—see Mitton, P. B.
KUNIN, R.—Pollution Abatement Control, June, p. 69.

L

LABANA, S. S. and ARONOFF, E. J.—Epoxy Adducts for Radiation-Curable Coatings, Sept., p. 77.
LAHAYE, J.—see Giboz, J. P.
LARSON, E. C.—see Probst, K.
LOW, M. J. D. and MARK, H.—Infrared Fourier Transform Spectroscopy in the Coatings Industry: II. Optical Subtraction, Feb., p. 31.
LOW, M. J. D., MARK, H., and GOODSEL, A. J.—Infrared Fourier Transform Spectroscopy in the Coatings Industry: III. Transmission/Absorption Spectra, Nov., p. 49.

M

MADSON, W.—Zinc Oxide and Rutile-Anatase Chalking Study in White Exterior, Latex House Paints, Oct., p. 54.
MAHALINGAM, R.—see Aldinger, E.
MARK, H.—see Low, M. J. D.
MAY, C. A.—Corrosion and the Electrodeposition Process, Jan., p. 43.
MCMANIS, G. E., SWAIN, E. W., GAST, L. E., and COWAN, J. C.—Color Stability of Films From Conventional and Emulsion Paints Containing Linseed Oil: Effects of Methyl Azelaaldehydate, Mar., p. 53.
MENNICKEN, G.—Effect of Polyisocyanates on Physically Drying Coating Systems, Jan., p. 83.
MERCIER, J. P. and AKLONIS, J. J.—Glass Transition Temperature: What does it Measure? What Does it Mean?, Oct., p. 44.
MIRANDA, T. J.—Comparison of Evaporative Rate Analysis with Thermomechanical Analysis for Thermosetting Acrylic Coatings, Feb., p. 51.
MITTON, P. B. and KOMAR, L. C.—Calculating Color in Vinyls From Scattering and Absorption Coefficients, Jan., p. 58.
MITTON P. B. and RICHARDS, D. P.—Model for Objective Development of Accelerated Weathering Tests, Dec., p. 107.
MOORE, R. J.—Molecular Basis for Impact Resistance of Epoxy Paint Films, Mar., p. 39.
MUELLER, F. X. and OLSSON, D. M.—Application of Statistical Designs for the Solution of Industrial Finishing Problems, May, p. 54.
MYERS, R. R.—Mildew Defacement of Organic Coatings, June, p. 47.

N

NELSON, T. P.—see Bagley, E. B.
NIELSON, H. K. RAASCHOU—see Fink-Jensen, P. H.
NORTH, A. G.—Room Temperature Curing Acrylics, June, p. 44.

O

OAKLEY, E.—Test Methods of High-Durability Coatings, Apr., p. 43.
OLSSON, D. M.—see Mueller, F. X.
O'REAR, J. G., GRIFFITH, J. R., and REINES, S. A.—Some New Fluorinated Epoxies and Polymeric Derivatives, Jan., p. 113.

P

PATEL, V. J.—See Seymour, R. B.
PIERCE, P. E.—Measurement of Rheology of Thixotropic Organic Coatings and Resins with the Brookfield Viscometer, June, p. 35.
PIETRAS, C. S.—see Hill, H. E.
PINKERTON, F. H. and THAMES, S. F.—Novel Polymer-Forming Insertion Reactions, Sept., p. 67.
PITTMAN, C. U., JR.—Preparation of Organometallic Polymers of Transition Metals—Potential Applications, Oct., p. 29.
PORTER, R. S. and FRELING, J.—Variable Governing the Flow of Polymer Solutions Related to Paint, June, p. 64.
PROBST, K. and LARSON, E. C.—Coatings Technology at the San Jose Regional Vocational Center, Jan., p. 141.

R

REINES, S. A.—see O'Rear, J. G.
RHEINECK, A. E. and SAMPATH, P. R.—Another Look at Oiticica Oil, Sept., p. 89.
RICHARDS, D. P. and BOVENIZER, G. W.—Undertone of Tinted Paints, Apr., p. 84.
RICHARDS, D. P.—See Mitton, P. B.
RITTER, H. S.—Durability of Paint Films From Erosion Rate Studies, Jan., p. 74.
ROSE, G. D.—see Sarkar, N.
ROSS, W. D.—Theoretical Computation of Light Scattering Power: Comparison Between TiO_2 and Air Bubbles—Dec., p. 49.
RUDIN, A. and JOHNSTON, H. K.—Predictions of Viscosities of Concentrated Polymer Solutions, Aug., p. 39.

S

SAMPATH, P. R.—see Rheineck, A. E.
SARKAR, N. and ROSE, G. D.—Comments on the Degradation of Aqueous Solutions of Methylcellulose, July, p. 69.
SCHRIEBER, H. P.—see Ternbah, M.
SCHURR, G. G.—see Hay, T. K.
SCIGLIANO, M. M.—see Bagley, E. B.
SECREST, P. J.—see Borer, W. Z.
SECREST, P. J.—Determination of Nonvolatile Contents of Amino Polymers Nov., p. 81.
SEIVARD, L. L. and DOWNEY, W. W.—Factors Affecting the Pigment Behavior of Titanium Dioxide in a Typical Electrocoating System, Jan., p. 65.
SEYMOUR, R. B., SOSA, J. M., and PATEL, V. J.—Free Radical Chain Polymerization, Dec., p. 45
SOSA, J. M.—see Seymour, R. B.
STIEG, F. B.—Titanium Dioxide—Or is it?, Oct., p. 36.

XUM

STEIG, F. B.—Weatherability of Titanium Dioxide Pigments, Feb., p. 82.
SWAIN, E. W.—see McManis, G. E.
SWANN, M. H.—see Esposito, G. G.
SYLVESTER, N. D. and LUDWICO, W. A.—On Patton's Cone and Plate Stress Relaxation Technique (CPSRT), Mar., p. 59.

T

TERNBAH, M. and SCHRIEBER, H. P.—Drying Studies of Pigmented Alkyd Finishes Using a New Integral Drying Time Recorder, May, p. 73.
THAMES, S. F.—see Pinkerton, F. H.
THAMES, S. F. and EVANS, J. M.—Organosilicon Grafted Polyesters as Stable Emulsions, July, p. 49.

W

WALSHAM, J. and EDWARDS, G. D.—Model of Evaporation from Solvent Blends, Mar., p. 64.
WILSKA, S.—Solvent Etching: New Technique for Electron Microscope Studies of Dry Paint Films, Apr., p. 65.
WOLF, P. A.—see Aman, E. D.
WYNSTRA, J.—see Berger, D. M.

Y

YAMASAKI, S.—Intensity Variations of Ultraviolet, Visible, and Near Infrared Bands of Terrestrial Solar Radiation, Apr., p. 75.

Proceedings Of the Paint Research Institute

No. 77 Infrared Fourier Transform Spectroscopy in the Coatings Industry—M. J. D. Low and H. Mark, Feb., p. 31.
No. 78 Organometallic Polymer Field Builds Up—Mar., p. 35.
No. 79 Three-Dimensional Solubility Parameters and Their Relationship to Internal Pressure Measurements in Polar and Hydrogen Bonding Solvents—E. B. Bagley, T. P. Nelson, and M. M. Scigliano, Apr., p. 35.
No. 80 Mildew Defacement of Organic Coatings—R. R. Myers, July, p. 47.
No. 81 Organosilicon Grafted Polyesters as Stable Emulsion—S. F. Thames and J. M. Evans, July, p. 49.
No. 82 Prediction of Viscosities of Concentrated Polymer Solutions—A. Rudin and H. K. Johnston, Aug., p. 39.
No. 83 Novel Polymer-Forming Insertion Reactions—F. H. Pinkerton and S. F. Thames, Sept., p. 67.
No. 84 Preparation of Organometallic Polymers of Transition Metals—Potential Applications—G. U. Pittman, Jr., Oct., p. 29.
No. 85 Infrared Fourier Transform Spectroscopy in the Coatings Industry—M. J. D. Low, H. Mark, and A. J. Goodel, Nov. p. 49.
No. 86 Free Radical Chain Polymerization—R. B. Seymour, J. M. Sosa, and V. J. Patel, Dec., p. 45.

Constituent Society Papers

Chicago Society for Paint Technology—Efficacy of Non-Mercurial Preservaties in Aqueous Coatings, Dec., p. 80.
C-D-I-C Society for Paint Technology—Three-Year Study of Mildew Growth on Coated Surfaces, Mar., p. 76.
Detroit Society for Paint Technology—Calcium Carbonate in Flat Wall Paints, Jan., p. 109.
Golden Gate Society for Coatings Technology—Properties of Pigmented Alkyds with Controlled Hydroxyl Number, Feb., p. 69.
Houston Society for Paint Technology—Disposal of Waste Solvents, July, p. 75.
New York Society for Paint Technology—Color Dispersion Determined by Measured Energy Input, Apr., p. 107.
New York Society for Paint Technology—Effects of Dispersion Methods on the Properties of Latex Enamels, Dec., p. 92.
New York Society for Paint Technology—Practical Methods of Evaluating Leveling of Latex Paints, Feb., p. 72.
Northwestern Society for Paint Technology—How Can Computers Help the Paint Industry?, Mar., p. 88.
Philadelphia Society for Paint Technology—Influence of Paint Storage Temperature on Drying Characteristics, Feb., p. 62.
Philadelphia Society for Paint Technology—Color Difference Acceptability—Pastels vs. Deeptones, Mar., p. 81.
Philadelphia Society for Paint Technology—Surfactant Demand, Dec., p. 73.
Southern Society for Paint Technology—Cold Storage of Panels Plus Colorimetric Control: an Approach to Stable Color Standards, Jan., p. 89.
Southern Society for Paint Technology—Plant Security and Personal Liability, July, p. 79.
Southern Society for Paint Technology—Florida Air and Water Pollution Control Act, Aug., p. 78.

Reprints

Single-copy reprints of papers included in this annual index are not available.

Reprints of these papers are available only in quantities of 100 or more. Prices furnished upon request.

Single copies of complete issues (when in supply) may be purchased for $3.00 each.

XUM